

better together

Fixed Knot Fencing







What can we offer you?

We at Bekaert want to help you select the best fixed knot fence to meet your unique fencing needs. Our fixed knot fences utilizes solid vertical stay wires, which increase the vertical strength of the fence and allows for increased post spacing. Our fixed knot is a separate piece of wire tightly wrapped around the line wire providing maximum strength and locking the horizontal and vertical wires in place.

Our fixed knot fences ensure a solid construction on all terrains. They are offered in a wide variety of heights and styles that feature graduated spacing that starts with narrow openings at the bottom which prevent the entry of small animals. Bekaert Fixed Knot fences are very resistant to animal damage and can be used for various applications. All Solidlock® fences are manufactured using high tensile wire which makes the fence easier to install, requires no pre-stretching and uses fewer posts which means reduced maintenance for you.













Solidlock® Limited Guarantee

With over 130 years of experience, we've learned how to do it right, this is why we stand behind our products with our Solidlock® Guarantee. Our *better together* tag accurately reflects the way we work together with our customers, partners, local government agencies, and colleagues. By following these basic concepts, Bekaert has raised quality and cooperation to the highest level. We strongly believe in our level of manufacturing quality and excellence, for these reasons we want to offer the Solidlock® Guarantee to you, our customer. Visit fencing.bekaert.com for more info!

ZA+ Paint Solidlock®



- Superior coating resistance
- 95% Zinc; 5% Aluminum
- Aesthetically pleasing green or black finish
- ZA coating lasts three times longer than Class 1 galvanized coating at a better value
- Meets/Exceeds ASTM A-116 and ASTM A- 856

ZA Fixed Knot



- Excellent coating resistance
- 95% Zinc; 5% Aluminum
- ZA coating lasts three times longer than Class 1 galvanized coating at a better value
- Meets/Exceeds ASTM A- 856

Solidlock®



- Great coating resistance
- Class 3 Zinc coating
- Meets/Exceeds ASTM A-116 and ASTM A- 641

Fixed Knot Product Details

Bekaert ZA Fixed Knot


Bekaert ZA Fixed Knot has an advanced coating exclusively made by Bekaert. Bekaert ZA (95% Zinc, 5% Aluminum) coating maximizes fence life and value. Adding 5% Aluminum results in a coating that lasts three times longer than Class 1 galvanized at a better value.

Part Number	Fence Design	Height	Vertical Spacing	Roll Length	Wire Gauge	Roll Weight	Coating
457744	1017.0	470	011	0001	4.4	000 !!	7.4
157714 157715	1047-3 1047-6	47" 47"	3" 6"	330' 330'	14g 14g	222 lbs 142 lbs	ZA ZA
157716	1047-12	47"	12"	330'	14g 14g	102 lbs	ZA
170645	1478-6	78"	6"	165'	14g	105 lbs	ZA
157717	1478-6	78"	6"	330'	14g	210 lbs	ZA
157718	1690-6	90"	6"	330'	14g	241 lbs	ZA

Solidlock® for Game

Solidlock® for Game fences are all manufactured with Class 3 galvanized coating offering three three times the life versus Class 1. In addition, our 2096-6 fence design has the option of ZA+ Paint coating which has all the benefits of ZA coating plus the benefits of an aesthetically pleasing UV stabilized green paint appearance.


Part Number	Fence Design	Height	Vertical Spacing	Roll Length	Wire Gauge	Roll Weight	Coating
118218	1060-6	60"	6"	330'	12.5g	210 lbs	Class 3
118248	1561-6	61"	6"	330'	12.5g	279 lbs	Class 3
118257	1060-12	60"	12"	660'	12.5g	294 lbs	Class 3
118269	1775-6	75"	6"	330¹	12.5g	327 lbs	Class 3
118271	2096-3	96"	3"	165¹	12.5g	340 lbs	Class 3
118288	2096-6	96"	6"	330¹	12.5g	396 lbs	Class 3
118376	2096-6	96"	6"	500'	12.5g	601 lbs	Class 3
118241	2096-12	96"	12"	330¹	12.5g	264 lbs	Class 3
118371	2096-12	96"	12"	660¹	12.5g	564 lbs	Class 3
118318	23120-6	120"	6"	330¹	12.5g	492 lbs	Class 3
136261	2096-6	96"	6"	3301	12.5g	396 lbs	ZA + Black
136692	2096 - 6	96"	6"	330¹	12.5g	396 lbs	ZA + Green



Solidlock® for Cattle

Solidlock® for Cattle fences are all manufactured with Class 3 coating. Class 3 galvanized coating lasts three times longer than Class 1.


Part Number	Fence Design	Height	Vertical Spacing	Roll Length	Wire Gauge	Roll Weight	Coating
118185	842-6	42"	6"	330'	12.5g	157 lbs	Class 3
118221	842-12	42"	12"	660'	12.5g	220 lbs	Class 3
118199	949-6	49"	6"	330¹	12.5g	182 lbs	Class 3
118162	949-12	49"	12"	330¹	12.5g	129 lbs	Class 3
118239	949-12	49"	12"	660¹	12.5g	257 lbs	Class 3
118226	1348-6	48"	6"	330¹	12.5g	234 lbs	Class 3
120310	1348-12	48"	12"	3301	12.5g	176 lbs	Class 3



Solidlock® for Horse

Solidlock® for Horse fences are all manufactured with Class 3 coating. Class 3 galvanized coating lasts three times longer than Class 1.

Part Number	Fence Design	Height	Vertical Spacing	Roll Length	Wire Gauge	Roll Weight	Coating
118150	1348-3	48"	3"	100'	12.5g	117 lbs	Class 3
118225	1348-3	48"	3"	200¹	12.5g	233 lbs	Class 3
118174	1561-3	61"	3"	100'	12.5g	140 lbs	Class 3
118249	1561-3	61"	3"	200'	12.5g	280 lbs	Class 3





better together

Where to find us

Would you like to learn more about the solutions we offer? Are you interested in any of our products or services? Please do not hesitate to get in touch. We would be delighted to talk about how we can be *better together*.

Bekaert Corporation 1395 South Marietta Parkway Building 500, Suite 100 Marietta, Georgia 30067-4440 T- 770-421-8520 F- 770-421-8521

Bekaert Corporation 1881 Bekaert Drive Van Buren, AR. 72956 T- 479-474-5211 F- 479-474-9075



For installation and product information scan this QR code with your mobile phone or visit us at fencing.bekaert.com